



#### Colonoscopy - Suprep

Your procedure is scheduled on:	(Date)
Please check in at the Reception desk at	Your procedure is scheduled for

#### **Pre-Procedure Information:**

√ Harmony Surgery Center is located at:

2127 East Harmony Road, Suite 200 Fort Collins, CO 80528

Scheduling: (970) 297-6367

If you need directions to our facility, please visit our website at www.harmonyasc.com

- ✓ Please Remember:
- ✓ You must have a driver to take you home. Your driver will need to be 18 years of age or older and must be willing to sign you out as your responsible party. You will not be permitted to drive or take a cab home after the procedure. You are not allowed to drive until the next day. If you do not have a driver your appointment will be cancelled.
- ✓ Please leave all jewelry and valuables at home.
- ✓ Please bring your <u>Insurance Card</u> and a <u>Photo ID</u> (driver's license, passport or military ID).
- ✓ If you need to cancel or reschedule your procedure for any reason, please call our scheduling department at 970-297-6367. If you cancel with less than a 72-hour notice before your procedure you may be charged a \$300.00 cancellation fee.

#### **General Information:**

- ✓ The laxative will cause diarrhea. Good visualization of the colon depends on adequate colon cleaning.
- ✓ If you are unable to complete your prep, notify Harmony Surgery Center at 970-297-6367. If you have an urgent request after hours, please call 970-207-9773 and the gastroenterologist on-call can assist you.
- ✓ Take your medications as you normally would up until 4 hours before your procedure.

# **Colonoscopy Consent Form**

# Informative copy only – please do not fill out

ı	permit Dr.	and any other assistant needed in performing the procedure
my doctor h	as recommended. The procedure my doctor	has recommended is a COLONOSCOPY which is defined below and may include
Biopsy: R Polypecto	opy: Examination of the large intestine with a emoval of small pieces of tissue from within t omy: Removal of small growths from within tl oid Ligation: Endoscopic ligation of internal h	ne intestine.
		he following: The lining of the colon is surveyed for inflammation, tumors, leeding sites. Pre-cancerous polyps can be removed before they turn into colon
	to colonoscopy include: Doing no testing, the a colonoscopy, polyps may be removed the	e colon being alternatively viewed by barium enema x-ray and if abnormal one rough a surgical procedure.
<u>Risks</u> associa	ated with a colonoscopy:	
1. 2.	and/or cancer). Possible rare complications associated wit	s with any medical test, there is a small chance of missing something (polyps  h Colonoscopy include: lon or intestine, which would require admission to the hospital and surgery for
	the correction of the perforation.	ed a few weeks) particularly if a biopsy is taken or a polyp is removed.
to produce a lose conscio administrati Some of the prolonged re anesthesia p It has been a extension of	<ul> <li>Extremely low risk of injury to the sp</li> <li>Hemorrhoid ligation: Pain, bleeding, Any procedure which involves anesthesia/ the administration of intravenous medication a state of relaxation while still being able to b usness and possibly be fully or partially immo on of medication carries some risk of complic complications that rarely occur are: over sec ecovery time. Should any complication arise, provider who are with you are prepared and t explained to me that during the course of the f the initial procedure or a different procedur</li> </ul>	urinary symptoms, edema, tissue ulceration and band dislodgement
I consent to	the presence of observers in the operating repriate parties approved by my physician(s). N	parts that may be removed during the above procedure.  bom, such as students, medical residents, medical equipment representatives, or  Medical students may participate in my surgical care under the direct supervision
		pictures) and the preparation of drawings and similar illustrated graphic hs and other materials for scientific purposes in accordance of this institution.
		es of the Center; they are agents of you. The Surgery Center is responsible for The Surgery Center is not responsible for actions of the physician or anesthesia
	ufficient opportunity to discuss this procedur the possible benefits, risks (including need for	





## Suprep – Colonoscopy Prep

Please read the following instructions carefully at least 7 days before your scheduled procedure.

It is absolutely necessary that you complete the following instructions, with no changes, unless specified by your physician.

physician.				
TIMELINE	What YOU Need to Do	Comments		
<b>7 days</b> before	<ul> <li>Avoid ALL Nuts, seeds, corn, and RAW green</li> </ul>	You will need a responsible adult to drive		
procedure	vegetables	you home from the procedure. It is the		
	Arrange for a responsible adult to drive you to the	facilities policy to cancel the procedure if		
	facility on the day of your procedure	you do not have a ride home.		
	IF YOU TAKE BLOOD THINNER PRODUCTS:  Follow the instructions for your blood thinner.			
	Follow the instructions for your blood thinner products as you were directed by your GI physician,			
	cardiologist, or prescribing physician.			
	IF YOU TAKE INSULIN PRODUCTS OR ORAL			
	DIABETES PILLS: Contact your physician to			
	obtain specific directions for dosages on the			
	day before and day of your procedure.			
E days before	Go to the pharmacy and pick up your			
5 days before	prescribed Suprep kit			
procedure (or	prescribed Suprep kit			
as soon as it is				
ordered)				
1 day before	<ul> <li>BREAKFAST: You may have a light breakfast.</li> </ul>	<ul> <li>BREAKFAST MUST BE COMPLETED BY 9AM</li> </ul>		
procedure	This MUST be completed by 9AM.			
	Choose from ONE of the following:	<ul> <li>CLEAR LIQUIDS ONLY AFTER 9AM</li> </ul>		
	<ul> <li>White bread/toast <u>OR</u></li> </ul>			
	o Rice cereal <u>OR</u>			
	<ul><li>Cream of wheat <u>OR</u></li><li>Eggs</li></ul>			
	You may also have the following:			
	o Milk			
	<ul><li>Juice (no red, blue, or purple)</li></ul>			
	<ul> <li>After 9am and until AFTER YOUR PROCEDURE,</li> </ul>			
	do not eat anything and drink only clear liquids			
	(no red, blue, or purple). Clear liquids include:			
	<ul><li>Water &amp; Tea</li></ul>			
	<ul> <li>Plain coffee, no creamer or milk</li> </ul>			
	<ul> <li>Clear juices such as apple or white grape</li> </ul>			
	juice			
	Lemonade from powdered mix     Keel Aid or Crystel Light			
	<ul><li>Kool Aid or Crystal Light</li><li>Clear Soda (7-Up, Sprite, Ginger Ale)</li></ul>			
	Gatorade/PowerAde			
	Fat free broth/ bouillon/ consommé			
	<ul> <li>Plain/flavored gelatins (no fruit added)</li> </ul>			
	<ul> <li>Italian ices, sorbet, popsicles</li> </ul>			

TIMELINE	What YOU Need to Do	Comments
1 day before your procedure at 6:00PM	<ol> <li>Begin first dose of prep</li> <li>Pour ONE 6-ounce bottle of SUPREP liquid into the mixing container</li> <li>Add cool drinking water to the 16-ounce line on the container and mix</li> <li>Drink ALL the liquid in the container.</li> <li>You MUST drink two (2) more 16-ounce containers of water over the next 1 hour.</li> <li>Continue with clear liquids for the rest of the evening</li> </ol>	Stay close to a restroom. You may use baby wipes or A&D ointment to alleviate discomfort from your prep.
DAY OF PROCEDURE: FIVE hours' prior before check-in time  (For example, if you are to check- in at 7:15am, you will need to get up at 2:15am and drink the 2 <sup>nd</sup> bottle of Suprep.)	<ul> <li>You may take your medications as instructed (especially heart and blood pressure) up to 4 hours prior to checking in for your procedure.</li> <li>Repeat steps 1-4 from above for second dose using the 2<sup>nd</sup> 6-ounce bottle of SUPREP</li> <li>Follow specific directions given by your physician regarding insulin, oral diabetic pills, and blood thinners.</li> <li>After that, stop all fluids.</li> <li>Nothing by mouth, including gum, mints, and candy starting 4 hours prior to your procedure until after your procedure is complete.</li> </ul>	DO NOT take any medications after completing your 2 <sup>nd</sup> dose of prep.  Your bowel movements will turn watery and -toward the end of the prep-will appear yellow or clear. If the bowel movement is NOT YELLOW OR CLEAR, notify the pre-op nurse when you arrive at the facility.
Appointment time	Arrive at your appointment check-in time with your responsible adult driver (see page 1).	For your safety, your procedure will be cancelled if you do not have a ride home arranged.



2127 E Harmony Rd. Ste. 200 Fort Collins, CO 80528 Front Desk: 970-297-6300 Scheduling line: 970-297-6367 Nurses line: 970-297-6303

## Important Billing Information...

As you prepare for your procedure, we want to make sure you understand how you will be billed for the services you receive. At a minimum, you will receive three separate bills. Depending on your specific procedure, you may also get additional bills.

#### Billing Sources...

#### • Surgery Center's Bill:

You will get a bill from us for what is known as the facility fee. This fee is for the staff, supplies, equipment and medications we provide for your safe and successful experience here.

#### Surgeon's Bill:

Since the physician performing your surgery is not an employee of the Center, you will be billed separately for these services. The physician's bill will be sent from the physician's office.

#### • Anesthesia Bill:

The anesthesia you receive during your procedure will be supervised by an Anesthesiologist and provided by a Certified Registered Nurse Anesthetist and you will be monitored throughout the procedure. Please call 970-224-2985 if you have questions regarding anesthesia.

**Other Bills:** Depending on several factors related to your procedure, you may receive services and additional bills which may include:

- <u>Laboratory Bill:</u> May include fees for blood or urine tests.
- Pathology Bill: May include testing of any tissue samples taken during the procedure. Pathology results will be available from your physician's office 7-10 days after your procedure.

#### Colonoscopy Guidelines to Keep in Mind...

The Affordable Care Act passed in March 2010 allowed for several preventative services, such as colonoscopies, to be covered at no cost to the patient. However, there are many caveats that prevent patients from taking advantage of this provision. There are now strict guidelines that explain which colonoscopies are defined as a preventative service (screening). These guidelines may exclude many patients with gastrointestinal histories from taking advantage of the service at no cost. Patients may be required to pay co-pays and deductibles. In addition, an inadequate bowel prep may result in additional charges.

#### Diagnostic/therapeutic colonoscopy

Patient has past and/or present gastrointestinal symptoms, polyps, or gastrointestinal disease. This may equate to patient copay, deductible or coinsurance.

#### **Surveillance Colonoscopy**

Patient is asymptomatic (no gastrointestinal symptoms), has a personal history of gastrointestinal disease, colon polyps and/or cancer. Patients in this category are required to undergo colonoscopy surveillance at varying ages and intervals based on the patient's personal history. Surveillance colonoscopy is performed to monitor the potential risk of reoccurrence of the condition/disease. This may equate to patient copay, deductible or coinsurance.

#### High Risk Screening Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms either past or present), has a family history of gastrointestinal disease, colon polyps, and/or cancer.

#### **Preventive Colonoscopy Screening**

Patient is asymptomatic (no gastrointestinal symptoms either past or present), over the age of 45, has no personal or family history of gastrointestinal disease, colon polyps, and/or cancer. The patient has not undergone a colonoscopy within the last 10 years.

# Can a diagnosis or procedure code be changed, added, or deleted so that I may be considered a screening procedure?

**No.** Often insurance representatives will tell a patient that if only the claim was coded with a "screening" diagnosis it would have been covered at 100%. However, the "screening" diagnosis can only be amended if it applies to the patient. Many insurance carriers only consider a patient over the age of 45 with no personal or family history as well as no past or present gastrointestinal symptoms as a "screening" (Z12.11). However, if any polyps are found and removed the procedure may then become diagnostic. Furthermore, the patient encounter is documented as a medical record from information you have provided as well as an evaluation and assessment from the physician. It is a binding legal document that cannot be changed to facilitate better insurance coverage. Please understand there are strict government, insurance company and coding guidelines against altering a chart or bill for the sole purpose of coverage determination. This is considered insurance fraud and punishable by law.

Our staff will do their very best to help you with questions and guide you to the proper sources of information. Please contact your insurance company in advance to verify network status, benefits and facility coverage. If you have any questions about this information, please contact us at (970)297-6449, (970)297-6435 or (970)297-6454. Thank you!

## Are you having a colonoscopy? This guide will help answer some basic billing questions



