



#### Colonoscopy - MoviPrep

Your procedure is scheduled on:	(Date)
Please check in at the Reception desk at	Your procedure is scheduled for

#### Pre-Procedure Information:

√ Harmony Surgery Center is located at:

2127 East Harmony Road, Suite 200

Fort Collins, CO 80528

Scheduling: (970) 297-6367

If you need directions to our facility, please visit our website at www.harmonyasc.com

\*\*Please go online to <a href="www.harmonyasc.com">www.harmonyasc.com</a> and fill out your Online Registration. Please submit this prior to your date of service. Please see the last page of this packet for detailed Instructions and Password Information on how to complete your online registration.

✓ Please Remember:

You must have a driver to take you home. Your driver will need to be 18 years of age or older and must be willing to sign you out as your responsible party. You will not be permitted to drive or take a cab home. If you do not have a driver your appointment will be cancelled.

- ✓ Please leave all jewelry and valuables at home.
- ✓ Please bring your <u>Insurance Card</u> and a <u>Photo ID</u> (driver's license, passport or military ID).
- ✓ If you need to cancel or reschedule your procedure for any reason, please call our scheduling department at 970-297-6367. If you cancel with less than a 72-hour notice before your procedure you may be charged a \$300.00 cancellation fee.

#### **General Information:**

- ✓ The laxative will cause diarrhea. Good visualization of the colon depends on adequate colon cleaning.
- ✓ If you are unable to complete your prep, notify Harmony Surgery Center at 970-297-6367. If you have an urgent request after hours, please call 970-207-9773 and the gastroenterologist on-call can assist you.
- ✓ Take your medications as you normally would up until 4 hours before your procedure.

## Colonoscopy Consent Form Informative Copy Only- Please do not fill out

I, permit Dr	and any other assistant needed in performing			
the procedure my doctor has recommended. The procedur	e my doctor has recommended is a COLONOSCOPY which is			
defined below and may include any of the following:				
Colonoscopy: Examination of the large intestine with a flex	ible tube which is passed through the anus.			
Biopsy: Removal of small pieces of tissue from within the i	ntestine for analysis.			
Polypectomy: Removal of small growths from within the in	testine.			
Benefits of a colonoscopy include but are not limited to the fo	ollowing: The lining of the colon is surveyed for inflammation,			
tumors, polyps, blockage from post-surgical colon stricture	, and bleeding sites. Pre-cancerous polyps can be removed			
before they turn into colon cancer.				
• • • • • • • • • • • • • • • • • • • •	olon being alternatively viewed by barium enema x-ray and if			
abnormal one would require a colonoscopy, polyps may be re	moved through a surgical procedure.			
<u>Risks</u> associated with a colonoscopy:				
	any medical test, there is a small chance of missing something			
(polyps and/or cancer).				
<ol><li>Possible rare complications associated with Colo</li></ol>				
<ul> <li>Perforation (making a hole) in the colon or surgery for the correction of the perforation</li> </ul>	intestine, which would require admission to the hospital and n.			
<ul> <li>Bleeding (either immediate or delayed a feven</li> </ul>	w weeks) particularly if a biopsy is taken or a polyp is removed.			
<ul> <li>Heart or lung problems, aspiration, pneumo</li> </ul>	onia.			
<ul> <li>Reaction (allergy) to medications.</li> </ul>				
<ul> <li>Extremely low risk of injury to the spleen du</li> </ul>	uring a colonoscopy.			
3. Any procedure which involves anesthesia/sedati	on has some risks.			
I consent to the administration of intravenous medications d	uring this procedure. The primary intent of administering this			
medication is to produce a state of relaxation while still bein	g able to breath easily, swallow, answer questions and follow			
simple commands. You may lose consciousness and possibly	be fully or partially immobilized. Recall of events during this			
procedure may also occur. The administration of medication	carries some risk of complication. Few complications occur,			
	omplications that rarely occur are: over sedation, low blood			
pressure, slow or ineffective breathing, pneumonia, and prolo	onged recovery time. Should any complication arise, both the			
physician directing the administration of these medications are	nd the anesthesia provider who are with you are prepared and			
trained to intervene with the necessary treatment	_			
	Patient initials			
	ne procedure, unforeseen conditions may be revealed that			
necessitate an extension of the initial procedure or a different procedure than set forth above. I therefore authorize and				
request the above named physician or his designated consultants perform such procedures that are in his judgment				
necessary and desirable.				
I consent to the study and retention or disposal of tissue parts				
I consent to the presence of observers in the operating room, such as students, medical residents, medical equipment				
representatives, or other appropriate parties approved by my physician(s). Medical students may participate in my surgical				
care under the direct supervision of my physician(s).				
	tures) and the preparation of drawings and similar illustrated			
	photographs and other materials for scientific purposes in			
accordance of this institution.				
The color of the control of the color of the				
	th Dr and I understand the nature of			
the procedure, the possible benefits, risks (including need for surgery), and alternatives listed.				

the day of your procedure to listen to your discharge instructions and drive you home. You may NOT take a cab or public transportation. You will not be allowed to drive until the day following your procedure.    IF YOU TAKE BLOOD THINNER PRODUCTS: follow the instructions for your blood thinner products as you were directed by your physician.    IF YOU TAKE INSULIN PRODUCTS OR ORAL DIABETES PILLS: please see the enclosed diabetic instruction sheet.    3-5 days before procedure   Purchase the following from your pharmacy or drug store:   One MoviPrep* kit (prescription enclosed in your packet).   ***PLEASE FOLLOW THESE INSTRUCTIONS RATHER THAN THOSE ON THE BOX.     Avoid eating: Seeds, Nuts, and Corn.     1 day before procedure   Drink ONLY clear liquids (DO NOT drink or eat anything that is RED, BLUE, or PURPLE) for BREAKFAST, LUNCH, and DINNER as listed below:   NO SOLID FOODS, no milk products allowed on this day	Timeline	What you n	pnoscopy Prep Instructions — MoviPrep (page 1 of eed to do	Comments		
procedure  One MoviPrep* kit (prescription enclosed in your packet).  ****PLEASE FOLLOW THESE INSTRUCTIONS RATHER THAN THOSE ON THE BOX.  Avoid eating: Seeds, Nuts, and Corn.  Drink ONLY clear liquids (DO NOT drink or eat anything that is RED, below:  Chicken or beef bouillon/broth Black coffee or tea without cream Pulp-free fruit juices (apple, white grape) Sport drinks like clear Gatorade* Clear Jello* (no red, blue, or purple) Clear sodas (Sprite*, 7Up*, ginger ale)  STEP 1  Add lukewarm drinking water to the top line of the container. Mix to dissolve  If preferred, mix solution ahead of time and refrigerate prior to drinking. The reconstituted solution should be used within 24 hours.  The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz), until the full liter is complete	-	Arrange the day and dr transpo followir for you physicia	for a responsible adult to come with you into the facility on of your procedure to listen to your discharge instructions ive you home. You may NOT take a cab or public rtation. You will not be allowed to drive until the day ag your procedure.  TAKE BLOOD THINNER PRODUCTS: follow the instructions r blood thinner products as you were directed by your in.  TAKE INSULIN PRODUCTS OR ORAL DIABETES PILLS:	• For your safety, your		
o Pulp-free fruit juices (apple, white grape)     Sport drinks like clear Gatorade*     Clear Jello* (no red, blue, or purple)     Clear sodas (Sprite*, 7Up*, ginger ale)  Empty 1 Pouch A and 1 Pouch B into the disposable container  Empty 1 Pouch A and 1 Pouch B into the disposable container  Add lukewarm drinking water to the top line of the container. Mix to dissolve  If preferred, mix solution ahead of time and refrigerate prior to drinking. The reconstituted solution should be used within 24 hours.  The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz), until the full liter is complete	procedure  1 day before	One Avoid e Drink O BLUE, o below:	***PLEASE FOLLOW THESE INSTRUCTIONS RATHER THAN THOSE ON THE BOX. ating: Seeds, Nuts, and Corn. NLY clear liquids (DO NOT drink or eat anything that is RED, or PURPLE) for BREAKFAST, LUNCH, and DINNER as listed Chicken or beef bouillon/broth	NO SOLID FOODS, no milk, or milk products are allowed on this day and until after your procedure.		
The reconstituted solution should be used within 24 hours.  1 day before the procedure at 5:00 p.m  STEP 2  The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz), until the full liter is complete		0 0 0	Pulp-free fruit juices (apple, white grape) Sport drinks like clear Gatorade® Clear Jello® (no red, blue, or purple) Clear sodas (Sprite®, 7Up®, ginger ale)  Empty 1 Pouch A and 1 Pouch B into the disposable container  Add lukewarm drinking water to the top line	B		
Drink 1st dose full liter is complete	the procedure at 5:00 p.m Drink 1st dose		The reconstituted solution should be used within 24 hours.  The MoviPrep container is divided by 4 marks.  Every 15 minutes, drink the solution down to			
— Provide Character in the control of the Character in th			full liter is complete  Drink 16 oz of the clear liquid of your choice	16 oz		
<ul> <li>□ Repeat Step 1 by mixing the second liter of MoviPrep solution and place in refrigerator to clearly desired for next morning dose.</li> <li>□ Take your daily meds as usual.</li> </ul>		desired for next morning dose.				

Day of procedure	Drink 2 <sup>nd</sup> container of prep solution: Repeat Step 2 above with	Remain close to toilet
<u>5 hours</u> before	refrigerated prep solution 5 hours before your procedure. Drink the	facilities. You may use baby
scheduled	second liter of MoviPrep solution over approximately an hour (8oz.	wipes or A&D ointment to
procedure time	every 15 minutes	alleviate any discomfort
		from your prep.
		Please call us at 970-297-
	Drink 16 oz of the clear liquid of your choice immediately following	6303 if you have not had
	the prep solution.	any bowel movements by
	☐ Take your usual medications (especially heart and blood pressure	the morning of your procedure.
	medications) <b>up to 4 hours prior to the procedure.</b> It is OK to take	procedure.
	aspirin up to and including the day of the procedure up to 4 hours	Your bowel movements will
	prior to your procedure. Follow specific directions given by your	turn watery and, toward
	physician regarding insulin, oral diabetes pills, and blood thinners.	the end of the prep, will
		appear yellow or clear. If
	□ DO NOT drink or eat anything for 4 hours before your procedure	the bowel movement IS
	including NO gum, mints, candy or chewing tobacco. (***Please	NOT YELLOW OR CLEAR,
	disregard manufacturer's instructions that allow drinking up to 1	notify the pre-op nurse
	hour prior to procedure.)	when you arrive at the
		facility.
Appointment	☐ Please arrive 1 hour before your scheduled procedure time with your	For your safety, your
time	responsible adult companion. (see above).	procedure will be cancelled
		if you do not have a ride
		home arranged.





#### Important Billing Information...

As you prepare for your procedure, we want to make sure you understand how you will be billed for the services you receive. At a minimum, you will receive three separate bills. Depending on your specific procedure, you may also get additional bills. **Billing Sources...** 

#### Surgery Center's Bill:

You will get a bill from us for what is known as the facility fee. This fee is for the staff, supplies, equipment and medications we provide for your safe and successful experience here.

#### Surgeon's Bill:

Since the physician performing your surgery is not an employee of the Center, you will be billed separately for these services. The physician's bill will be sent from the physician's office.

#### Anesthesia Bill:

The anesthesia you receive during your procedure will be supervised by an Anesthesiologist and provided by a Certified Registered Nurse Anesthetist and you will be monitored throughout the procedure. Please call 970-224-2985 if you have questions regarding anesthesia.

**Other Bills:** Depending on several factors related to your procedure, you may receive services and additional bills which may include:

- <u>Laboratory Bill:</u> May include fees for blood or urine
- Pathology Bill: May include testing of any tissue samples taken during the procedure. Pathology results will be available from your physician's office 7-10 days after your procedure.

#### Colonoscopy Guidelines to Keep in Mind...

The Affordable Care Act passed in March 2010 allowed for several preventative services, such as colonoscopies, to be covered at no cost to the patient. However, there are many caveats that prevent patients from taking advantage of this provision. There are now strict guidelines that explain which colonoscopies are defined as a preventative service (screening). These guidelines may exclude many patients with gastrointestinal histories from taking advantage of the service at no cost. Patients may be required to pay co-pays and deductibles. In addition, an inadequate bowel prep may result in additional charges.

#### Diagnostic/therapeutic colonoscopy

Patient has past and/or present gastrointestinal symptoms, polyps, or gastrointestinal disease. This may equate to patient copay, deductible or coinsurance.

#### Surveillance Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms), has a personal history of gastrointestinal disease, colon polyps and/or cancer. Patients in this category are required to undergo colonoscopy surveillance at varying ages and intervals based on the patient's personal history. Surveillance colonoscopy is performed to monitor the potential risk of reoccurrence of the condition/disease. This may equate to patient copay, deductible or coinsurance.

#### High Risk Screening Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms either past or present), has a family history of gastrointestinal disease, colon polyps, and/or cancer.

#### **Preventive Colonoscopy Screening**

Patient is asymptomatic (no gastrointestinal symptoms either past or present), over the age of 50, has no personal or family history of gastrointestinal disease, colon polyps, and/or cancer. The patient has not undergone a colonoscopy within the last 10 years.

# Can a diagnosis or procedure code be changed, added, or deleted so that I may be considered a screening procedure?

No. Often insurance representatives will tell a patient that if only the claim was coded with a "screening" diagnosis it would have been covered at 100%. However, the "screening" diagnosis can only be amended if it applies to the patient. Many insurance carriers only consider a patient over the age of 50 with no personal or history as well as no past or present family gastrointestinal symptoms as a "screening" (Z12.11). Furthermore, the patient encounter is documented as a medical record from information you have provided as well as an evaluation and assessment from the physician. It is a binding legal document that cannot be changed to facilitate better insurance coverage. Please understand there are strict government, insurance company and coding guidelines against altering a chart or bill for the sole purpose of coverage determination. This is considered insurance fraud and punishable by law.

Our staff will do their very best to help you with questions and guide you to the proper sources of information. Please contact your insurance company in advance to verify network status, benefits and facility coverage. If you have any questions about this information, please contact us at (970)297-6449, (970)297-6435 or (970)297-6454. Thank you!



# PLEASE FILL OUT YOUR ONLINE REGISTRATION BEFORE YOUR PROCEDURE BY GOING TO:

### www.harmonyasc.com

Click on the "Patient Registration" button at the top of the page

**New Patient Password: HSC970NEW** 

Please follow prompts and answer all of the questions.