



Colonoscopy – Magnesium Citrate

Vous myoooduso is schoduled on	(Data)
Your procedure is scheduled on:	(Date)
Please check in at the Reception desk at	Your procedure is scheduled for

Pre-Procedure Information:

√ Harmony Surgery Center is located at:

2127 East Harmony Road, Suite 200

Fort Collins, CO 80528

Scheduling: (970) 297-6367

If you need directions to our facility, please visit our website at www.harmonyasc.com

**Please go online to www.harmonyasc.com and fill out your Online Registration. Please submit this prior to your date of service. Please see the last page of this packet for detailed Instructions and Password Information on how to complete your online registration.

✓ Please Remember

You must have a driver to take you home. Your driver will need to be 18 years of age or older and must be willing to sign you out as your responsible party. You will not be permitted to drive or take a cab home. If you do not have a driver your appointment will be cancelled.

- ✓ Please leave all jewelry and valuables at home.
- ✓ Please bring your **Insurance Card** and a **Photo ID** (driver's license, passport or military ID).
- ✓ If you need to cancel or reschedule your procedure for any reason, please call our scheduling department at 970-297-6367. If you cancel with less than a 72-hour notice before your procedure you may be charged a \$300.00 cancellation fee.

General Information:

- ✓ The laxative will cause diarrhea. Good visualization of the colon depends on adequate colon cleaning.
- ✓ If you are unable to complete your prep, notify Harmony Surgery Center at 970-297-6303. If you have an urgent request after hours, please call 970-207-9773 and the gastroenterologist on-call can assist you.
- √ Take your medications as you normally would up until 4 hours before your procedure.

Colonoscopy Consent Form

		and any other assistant needed in performing the procedure
my doctor has recommend any of the following:	ed. The procedure my doctor has reco	mmended is a COLONOSCOPY which is defined below and may include
Biopsy: Removal of sma Polypectomy: Removal	on of the large intestine with a flexible Il pieces of tissue from within the intes of small growths from within the intest doscopic ligation of internal hemorrho	ine.
		ving: The lining of the colon is surveyed for inflammation, tumors, sites. Pre-cancerous polyps can be removed before they turn into colon
	y include: Doing no testing, the colon loy, polyps may be removed through a s	being alternatively viewed by barium enema x-ray and if abnormal one surgical procedure.
<u>Risks</u> associated with a cold	noscopy:	
and/or cance		y medical test, there is a small chance of missing something (polyps
 Perfora 	·	testine, which would require admission to the hospital and surgery for
BleedirHeart of	ng (either immediate or delayed a few or lung problems, aspiration, pneumon	weeks) particularly if a biopsy is taken or a polyp is removed. ia.
ReactionInfection	on (allergy) to medications.	
	ely low risk of injury to the spleen duri	ng a colonoscopy.
		ymptoms, edema, tissue ulceration and band dislodgement
I consent to the administrato produce a state of relaxalose consciousness and post administration of medications. Some of the complications prolonged recovery time. Sanesthesia provider who are It has been explained to me extension of the initial productions.	tion while still being able to breath east sibly be fully or partially immobilized. On carries some risk of complication. For that rarely occur are: over sedation, low should any complication arise, both the ewith you are prepared and trained to that during the course of the procedue edure or a different procedure than see	has some risks. It this procedure. The primary intent of administering this medication is sily, swallow, answer questions and follow simple commands. You may Recall of events during this procedure may also occur. The ew complications occur, most are minor and last only a short time. It is blood pressure, slow or ineffective breathing, pneumonia, and exphysician directing the administration of these medications and the printervene with the necessary treatment. Increase conditions may be revealed that necessitate an ext forth above. I therefore authorize and request the above named that are in his judgment necessary and desirable.
I consent to the presence o	f observers in the operating room, sucl	nt may be removed during the above procedure. the as students, medical residents, medical equipment representatives, or students may participate in my surgical care under the direct supervision
		and the preparation of drawings and similar illustrated graphic ther materials for scientific purposes in accordance of this institution.
		Center; they are agents of you. The Surgery Center is responsible for gery Center is not responsible for actions of the physician or anesthesia
	cunity to discuss this procedure with Dr nefits, risks (including need for surgery)	





COLONOSCOPY PREP – MAGNESIUM CITRATE

To get the best results from your colonoscopy and to avoid having to do the procedure over, please follow these instructions completely unless directed otherwise by your physician. In order for us to examine your colon properly, it must be clean. If you have questions, please call us at 970-207-9773.

	it must be clean. If you have questions, please call us at 970-207-9773.				
Timeline	What you need to do	Comments			
7 days before procedure	 Arrange for a responsible adult to come with you into the facility on the day of your procedure to listen to your discharge instructions and drive you home. You may NOT take a cab or public transportation. You will not be allowed to drive until the day following your procedure. IF YOU TAKE BLOOD THINNER PRODUCTS: follow the instructions for your blood thinner products as you were directed by your GI physician or cardiologist/prescribing physician. IF YOU TAKE INSULIN PRODUCTS OR ORAL DIABETES PILLS: Contact your physician to obtain specific directions for dosages on the day before and day of your procedure. 	For your safety, your procedure will be cancelled if you do not have a ride home arranged.			
5 days before procedure	 Purchase the following from your pharmacy or drug store: Three 10-oz bottles of Magnesium Citrate (any flavor, as long as it is CLEAR) A box of 5 mg Dulcolax® laxative tablets (NOT stool softeners) Avoid eating: Seeds, Nuts, and Corn 5 days before your procedure. 				
1 day before procedure	 □ BREAKFAST: You may eat a light breakfast, which may include boiled or poached eggs, white bread, hot cereals, yogurt, chicken, turkey, or fish (not fried) and any clear liquids listed below. □ After breakfast and for the rest of the day, do not eat anything and drink ONLY clear liquids (Avoid drinking anything that is RED, BLUE, or PURPLE). Clear liquids include: ○ Water ○ Chicken or bouillon/beef broth ○ Coffee or tea without cream ○ Pulp-free fruit juices (apple, white grape) ○ Sport drinks like clear Gatorade[®] ○ Clear Jello[®] (no red, blue, or purple) ○ Clear sodas (Sprite[®], 7Up[®], ginger ale) 	The day before your procedure do not eat any food after breakfast until after your procedure tomorrow.			
1 day before at 4 p.m.	☐ Take 2 Dulcolax laxative tablets (10 mg total) as directed on the package.				

1 day before at 6 p.m.		Drink 1½ bottles (15 oz) of Magnesium Citrate. Please drink this slowly over 60 minutes. Continue drinking clear fluids throughout the evening.	Remain close to toilet facilities. You may use baby wipes or A&D ointment to alleviate any discomfort from your prep results.
Day of Procedure: At least 5 hours before procedure time (For example, if your procedure is at 8 a.m., you will need to get up at 3 a.m. to drink the rest of the Magnesium Citrate.)	0	Take your usual medications (especially heart and blood pressure medications) up to 4 hours prior to the procedure. It is OK to take aspirin up to and including the day of the procedure, up to 4 hours prior to your procedure. Follow specific directions given by your physician regarding insulin, oral diabetes pills, and blood thinners. Drink remaining 1½ bottles (15 oz) of Magnesium Citrate, slowly over 60 minutes, with 16 oz of water or other clear liquid. After that, stop all fluids. Do not drink or eat anything starting 4 hours prior to your procedure and until after your procedure is complete, including NO gum, mints, or candy.	Please call us at 970-207-9773 if you have not had any bowel movements by the morning of your procedure. Your bowel movements will turn watery and, toward the end of the prep, will appear yellow or clear. If the bowel movement IS NOT YELLOW OR CLEAR, notify the pre-op nurse when you arrive at the facility.
Appointment time		Arrive at your appointment check-in time with your responsible adult companion (see page 1).	For your safety, your procedure will be cancelled if you do not have a ride home arranged.

Important Billing Information...

As you prepare for your procedure, we want to make sure you understand how you will be billed for the services you receive. At a minimum, you will receive three separate bills. Depending on your specific procedure, you may also get additional bills.

Billing Sources...

Surgery Center's Bill:

You will get a bill from us for what is known as the facility fee. This fee is for the staff, supplies, equipment and medications we provide for your safe and successful experience here.

Surgeon's Bill:

Since the physician performing your surgery is not an employee of the Center, you will be billed separately for these services. The physician's bill will be sent from the physician's office.

Anesthesia Bill:

The anesthesia you receive during your procedure will be supervised by an Anesthesiologist and provided by a Certified Registered Nurse Anesthetist and you will be monitored throughout the procedure. Please call 970-224-2985 if you have questions regarding anesthesia.

Other Bills: Depending on several factors related to your procedure, you may receive services and additional bills which may include:

- <u>Laboratory Bill:</u> May include fees for blood or urine tests.
- Pathology Bill: May include testing of any tissue samples taken during the procedure. Pathology results will be available from your physician's office 7-10 days after your procedure.

Colonoscopy Guidelines to Keep in Mind...

The Affordable Care Act passed in March 2010 allowed for several preventative services, such as colonoscopies, to be covered at no cost to the patient. However, there are many caveats that prevent patients from taking advantage of this provision. There are now strict guidelines that explain which colonoscopies are defined as a preventative service (screening). These guidelines may exclude many patients with gastrointestinal histories from taking advantage of the service at no cost. Patients may be required to pay co-pays and deductibles. In addition, an inadequate bowel prep may result in additional charges.

Diagnostic/therapeutic colonoscopy

Patient has past and/or present gastrointestinal symptoms, polyps, or gastrointestinal disease. This may equate to patient copay, deductible or coinsurance.

Surveillance Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms), has a personal history of gastrointestinal disease, colon polyps and/or cancer. Patients in this category are required to undergo colonoscopy surveillance at varying ages and intervals based on the patient's personal history. Surveillance colonoscopy is performed to monitor the potential risk of reoccurrence of the condition/disease. This may equate to patient copay, deductible or coinsurance.

High Risk Screening Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms either past or present), has a family history of gastrointestinal disease, colon polyps, and/or cancer.

Preventive Colonoscopy Screening

Patient is asymptomatic (no gastrointestinal symptoms either past or present), over the age of 50, has no personal or family history of gastrointestinal disease, colon polyps, and/or cancer. The patient has not undergone a colonoscopy within the last 10 years.

Can a diagnosis or procedure code be changed, added, or deleted so that I may be considered a screening procedure?

No. Often insurance representatives will tell a patient that if only the claim was coded with a "screening" diagnosis it would have been covered at 100%. However, the "screening" diagnosis can only be amended if it applies to the patient. Many insurance carriers only consider a patient over the age of 50 with no personal or family history as well as no past or present gastrointestinal symptoms as a "screening" (Z12.11). Furthermore, the patient encounter is documented as a medical record from information you have provided as well as an evaluation and assessment from the physician. It is a binding legal document that cannot be changed to facilitate better insurance coverage. Please understand there are strict government, insurance company and coding guidelines against altering a chart or bill for the sole purpose of coverage determination. This is considered insurance fraud and punishable by law.

Our staff will do their very best to help you with questions and guide you to the proper sources of information. Please contact your insurance company in advance to verify network status, benefits and facility coverage. If you have any questions about this information, please contact us at (970)297-6449, (970)297-6435 or (970)297-6454. Thank you!



PLEASE FILL OUT YOUR ONLINE REGISTRATION BEFORE YOUR PROCEDURE BY GOING TO:

www.harmonyasc.com

Click on the "Patient Registration" button at the top of the page

New Patient Password: HSC970NEW

Please follow prompts and answer all of the questions.