



Colonoscopy - MoviPrep

Your procedure is scheduled on:	_(Date)
Please check in at the Reception desk at	Your procedure is scheduled for

Pre-Procedure Information:

✓ Harmony Surgery Center is located at:

2127 East Harmony Road, Suite 200

Fort Collins, CO 80528

Scheduling: (970) 297-6367

If you need directions to our facility, please visit our website at www.harmonyasc.com

**Please go online to www.harmonyasc.com and fill out your Online Registration. Please submit this prior to your date of service. Please see the last page of this packet for detailed Instructions and Password Information on how to complete your online registration.

- ✓ Please Remember:
- You must have a driver to take you home. Your driver will need to be 18 years of age or older and must be willing to sign you out as your responsible party. You will not be permitted to drive or take a cab home after the procedure. You are not allowed to drive until the next day. If you do not have a driver your appointment will be cancelled.
- ✓ Please leave all jewelry and valuables at home.
- ✓ Please bring your <u>Insurance Card</u> and a <u>Photo ID</u> (driver's license, passport or military ID).
- ✓ If you need to cancel or reschedule your procedure for any reason, please call our scheduling department at 970-297-6367. If you cancel with less than a 72-hour notice before your procedure you may be charged a \$300.00 cancellation fee.

General Information:

- ✓ The laxative will cause diarrhea. Good visualization of the colon depends on adequate colon cleaning.
- ✓ If you are unable to complete your prep, notify Harmony Surgery Center at 970-297-6367. If you have an urgent request after hours, please call 970-207-9773 and the gastroenterologist on-call can assist you.
- ✓ Take your medications as you normally would up until 4 hours before your procedure.

Colonoscopy Consent Form Informative Copy Only- Please do not fill out

l, my doctor ha	permit Dr s recommended. The procedure my doctor has recon	and any other assistant needed in performing the procedure nmended is a COLONOSCOPY which is defined below and may include
any of the fol	lowing:	
Biopsy: Re Polypector	py: Examination of the large intestine with a flexible to emoval of small pieces of tissue from within the intesti my: Removal of small growths from within the intesti id Ligation: Endoscopic ligation of internal hemorrhoic	ne for analysis. ne.
		ng: The lining of the colon is surveyed for inflammation, tumors, tes. Pre-cancerous polyps can be removed before they turn into colon
	to colonoscopy include: Doing no testing, the colon bee a colonoscopy, polyps may be removed through a su	eing alternatively viewed by barium enema x-ray and if abnormal one orgical procedure.
Risks associa	ted with a colonoscopy:	
1.	These are very accurate procedures, but as with any and/or cancer).	medical test, there is a small chance of missing something (polyps
2.	 Possible rare complications associated with Colonos Perforation (making a hole) in the colon or inte the correction of the perforation. 	copy include: estine, which would require admission to the hospital and surgery for
	 Bleeding (either immediate or delayed a few w Heart or lung problems, aspiration, pneumonia Reaction (allergy) to medications. 	reeks) particularly if a biopsy is taken or a polyp is removed. I.
	Infection	
	Extremely low risk of injury to the spleen during	
3.	 Hemorrhoid ligation: Pain, bleeding, urinary sy Any procedure which involves anesthesia/sedation h 	mptoms, edema, tissue ulceration and band dislodgement
I consent to t to produce a lose consciou administratio Some of the o prolonged re- anesthesia pr	he administration of intravenous medications during to state of relaxation while still being able to breath easi isness and possibly be fully or partially immobilized. Report of medication carries some risk of complication. Fectomplications that rarely occur are: over sedation, low covery time. Should any complication arise, both the rovider who are with you are prepared and trained to	this procedure. The primary intent of administering this medication is ly, swallow, answer questions and follow simple commands. You may ecall of events during this procedure may also occur. The w complications occur, most are minor and last only a short time. It is blood pressure, slow or ineffective breathing, pneumonia, and physician directing the administration of these medications and the
extension of		forth above. I therefore authorize and request the above named
I consent to t	riate parties approved by my physician(s). Medical stu	may be removed during the above procedure. as students, medical residents, medical equipment representatives, or dents may participate in my surgical care under the direct supervision
		and the preparation of drawings and similar illustrated graphic ner materials for scientific purposes in accordance of this institution.
	• • • • • • • • • • • • • • • • • • • •	enter; they are agents of you. The Surgery Center is responsible for ery Center is not responsible for actions of the physician or anesthesia
	fficient opportunity to discuss this procedure with Dr. ne possible benefits, risks (including need for surgery),	and I understand the nature of the and alternatives listed.

Timeline	Colonoscopy Prep Instructions – MoviPre What you need to do	Comments		
7 days before procedure	 Arrange for a responsible adult to come with you into the day of your procedure to listen to your discharge and drive you home. You may NOT take a catransportation. You will not be allowed to drive us following your procedure. IF YOU TAKE BLOOD THINNER PRODUCTS: follow the for your blood thinner products as you were direct physician. IF YOU TAKE INSULIN PRODUCTS OR ORAL DIA please see the enclosed diabetic instruction sheet. 	 You may take Tylenol if necessary. For your safety, your procedure will be cancelled if you do not bring a driver with you. 		
3-5 days before procedure	□ Purchase the following from your pharmacy or drug store: ○ One MoviPrep® kit (prescription enclosed in your packet). ***PLEASE FOLLOW THESE INSTRUCTIONS RATHER THAN THOSE ON THE BOX. □ Avoid eating: Seeds, Nuts, and Corn.			
1 day before procedure	 □ Drink ONLY clear liquids (DO NOT drink or eat anythin BLUE, or PURPLE) for BREAKFAST, LUNCH, and DINI below: ○ Chicken or beef bouillon/broth ○ Black coffee or tea without cream ○ Pulp-free fruit juices (apple, white grape) ○ Sport drinks like clear Gatorade® ○ Clear Jello® (no red, blue, or purple) ○ Clear sodas (Sprite®, 7Up®, ginger ale) ■ Empty 1 Pouch A and 1 Pouch B into the 	NER as listed or milk products are allowed on this day and until after your procedure.		
	disposable container STEP 1 Add lukewarm drinking water to the top of the container. Mix to dissolve If preferred, mix solution ahead of time and refrigerate procession of the reconstituted solution should be used within 24 hours.	rior to drinking.		
1 day before the procedure at 5:00 p.m Drink 1st dose (see step 2)	The MoviPrep container is divided by 4 Every 15 minutes, drink the solution do the next mark (approximately 8 oz), unt full liter is complete Drink 16 oz of the clear liquid of your of	own to til the		
	 □ Repeat Step 1 by mixing the second liter of MoviPrep solution and place in refrigerator to chill if desired for next morning dose. □ Take your daily meds as usual. 			

Г

Day of procedure	Drink 2 nd container of prep solution: Repeat Step 2 above with	Remain close to toilet
<u>5 hours</u> before	refrigerated prep solution 5 hours before your procedure . Drink the	facilities. You may use baby
scheduled	second liter of MoviPrep solution over approximately an hour (8oz.	wipes or A&D ointment to
procedure time	every 15 minutes	alleviate any discomfort
		from your prep.
		Please call us at 970-297-
	☐ Drink 16 oz of the clear liquid of your choice immediately following	6303 if you have not had
	the prep solution.	any bowel movements by
		the morning of your
	☐ Take your usual medications (especially heart and blood pressure	procedure.
	medications) up to 4 hours prior to the procedure. It is OK to take	
	aspirin up to and including the day of the procedure up to 4 hours	Your bowel movements will
	prior to your procedure. Follow specific directions given by your	turn watery and, toward
	physician regarding insulin, oral diabetes pills, and blood thinners.	the end of the prep, will
		appear yellow or clear. If
	□ DO NOT drink or eat anything for 4 hours before your procedure	the bowel movement IS
	including NO gum, mints, candy or chewing tobacco. (***Please	NOT YELLOW OR CLEAR,
	disregard manufacturer's instructions that allow drinking up to 1	notify the pre-op nurse
	hour prior to procedure.)	when you arrive at the
		facility.
Appointment	☐ Please arrive 1 hour before your scheduled procedure time with your	For your safety, your
time	responsible adult companion. (see above).	procedure will be cancelled
		if you do not have a ride
		home arranged.





Important Billing Information...

As you prepare for your procedure, we want to make sure you understand how you will be billed for the services you receive. At a minimum, you will receive three separate bills. Depending on your specific procedure, you may also get additional bills. **Billing Sources...**

• Surgery Center's Bill:

You will get a bill from us for what is known as the facility fee. This fee is for the staff, supplies, equipment and medications we provide for your safe and successful experience here.

Surgeon's Bill:

Since the physician performing your surgery is not an employee of the Center, you will be billed separately for these services. The physician's bill will be sent from the physician's office.

Anesthesia Bill:

The anesthesia you receive during your procedure will be supervised by an Anesthesiologist and provided by a Certified Registered Nurse Anesthetist and you will be monitored throughout the procedure. Please call 970-224-2985 if you have questions regarding anesthesia.

Other Bills: Depending on several factors related to your procedure, you may receive services and additional bills which may include:

- <u>Laboratory Bill:</u> May include fees for blood or urine
- Pathology Bill: May include testing of any tissue samples taken during the procedure. Pathology results will be available from your physician's office 7-10 days after your procedure.

Colonoscopy Guidelines to Keep in Mind...

The Affordable Care Act passed in March 2010 allowed for several preventative services, such as colonoscopies, to be covered at no cost to the patient. However, there are many caveats that prevent patients from taking advantage of this provision. There are now strict guidelines that explain which colonoscopies are defined as a preventative service (screening). These guidelines may exclude many patients with gastrointestinal histories from taking advantage of the service at no cost. Patients may be required to pay co-pays and deductibles. In addition, an inadequate bowel prep may result in additional charges.

Diagnostic/therapeutic colonoscopy

Patient has past and/or present gastrointestinal symptoms, polyps, or gastrointestinal disease. This may equate to patient copay, deductible or coinsurance.

Surveillance Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms), has a personal history of gastrointestinal disease, colon polyps and/or cancer. Patients in this category are required to undergo colonoscopy surveillance at varying ages and intervals based on the patient's personal history. Surveillance colonoscopy is performed to monitor the potential risk of reoccurrence of the condition/disease. This may equate to patient copay, deductible or coinsurance.

High Risk Screening Colonoscopy

Patient is asymptomatic (no gastrointestinal symptoms either past or present), has a family history of gastrointestinal disease, colon polyps, and/or cancer.

Preventive Colonoscopy Screening

Patient is asymptomatic (no gastrointestinal symptoms either past or present), over the age of 50, has no personal or family history of gastrointestinal disease, colon polyps, and/or cancer. The patient has not undergone a colonoscopy within the last 10 years.

Can a diagnosis or procedure code be changed, added, or deleted so that I may be considered a screening procedure?

No. Often insurance representatives will tell a patient that if only the claim was coded with a "screening" diagnosis it would have been covered at 100%. However, the "screening" diagnosis can only be amended if it applies to the patient. Many insurance carriers only consider a patient over the age of 50 with no personal or family history as well as no past or present gastrointestinal symptoms as a "screening" (Z12.11). Furthermore, the patient encounter is documented as a medical record from information you have provided as well as an evaluation and assessment from the physician. It is a binding legal document that cannot be changed to facilitate better insurance coverage. Please understand there are strict government, insurance company and coding guidelines against altering a chart or bill for the sole purpose of coverage determination. This is considered insurance fraud and punishable by law.

Our staff will do their very best to help you with questions and guide you to the proper sources of information. Please contact your insurance company in advance to verify network status, benefits and facility coverage. If you have any questions about this information, please contact us at (970)297-6449, (970)297-6435 or (970)297-6454. Thank you!



PLEASE FILL OUT YOUR ONLINE REGISTRATION BEFORE YOUR PROCEDURE BY GOING TO:

www.harmonyasc.com

Click on the "Patient Registration" button at the top of the page

New Patient Password: HSC970NEW

Please follow prompts and answer all of the questions.